EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	rout$3 with across with (handl$3 arrang$5).ab. and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:12
L2	81	rout$3 with across with (handl$3 arrang$5) and header and (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:12
L3	3	rout$3 with across with (handl$3 arrang$5) same header same (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:13
L4	3	(rout$3 edge gateway bgp firewall brouter) with across with (handl$3 arrang$5) same header same (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:17
L5	804	(replac$3 remov$3 strip$4) near5 header same (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:23
L6	605	(replac$3 remov$3 strip$4) near5 header and (replac$3 remov$3 strip$4) near5 (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:23
L7	33	(replac$3 remov$3 strip$4) near5 header same (remote foreign external internet) and (replac$3 remov$3 strip$4) near5 (packetid id identifier) same (local lan native intranet internal) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:25

L8	12	rout$3 same across same (handl$3 arrang$5) and 7	US-PGPUB; USPAT	OR	ON	2008/03/26 10:25
L9	33	rout$3 with (across handl$3 arrang$5 configur$5) and 7	US-PGPUB; USPAT	OR	ON	2008/03/26 10:27
L10	26	(replac$3 remov$3 strip$4) near2 header same (remote foreign external internet) and (replac$3 remov$3 strip$4) near2 (packetid id identifier) same (local lan native intranet internal) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:29
L11	26	rout$3 with (across handl$3 arrang$5 configur$5) and 10	US-PGPUB; USPAT	OR	ON	2008/03/26 10:30
L12	2	(remov$3 strip$4) near2 header and (remov$3 strip $4) near2 (packetid id identifier) same (local lan native intranet internal incoming upstream uplink upload) same (remote foreign external internet outgoing downstream downlink download) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:35
L13	126	(remov$3 strip$4) near2 header and (remov$3 strip $4) near2 (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:37
L14	44	(remov$3 strip$4) near2 header same (remov$3 strip $4) near2 (packetid id identifier) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:37
L15	0	(remov$3 strip$4) near2 header same (remov$3 strip $4) near2 (packetid id identifier).ab. and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:38

L16	0	(remov$3 strip$4) near2 header same (remov$3 strip $4) near2 (packetid (packet cell frame) adj (id identifier)) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:42
L17	1	(remov$3 strip$4) near2 header and (remov$3 strip $4) near2 (packetid (packet cell frame) adj (id identifier)) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:42
L18	3	(remov$3 strip$4 delet$3 discard eliminat$3) near2 header and (remov$3 strip$4 delet$3 discard eliminat$3) near2 (packetid (packet cell frame) adj (id identifier)) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:43
L19	15	(public network internet wan) with header with (target destination) and (packetid (packet cell frame) adj (id identifier)) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 10:55
L20	0	(remov$4 replac$3 delet$3 discard encapsulat$3 exchang $3) with header with accross with (target destination) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang $3) with (packetid (packet cell frame) adj (id identifier)) and (detect$3 filter$3 monitor $3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:05
L21	0	rout$3 with across with (handl$3 arrang$5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang $3) with header with accross with (target destination) and (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:06

L22	0	rout$3 with (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with header with across with (target destination) and (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:06
L23	0	rout$3 same (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with header with across with (target destination) and (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:07
L24	201	rout$3 same (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with header with (target destination) and (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:07
L25	161	rout$3 with (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with header with (target destination) and (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:07
L26	82	rout$3 with (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with header with (target destination) and (detect$3 filter$3 monitor$3) near5 type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:07

L27	15	rout$3 with (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with header with (target destination) and (detect$3 filter$3 monitor$3) with (payload load content) near5 type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:08
L28	0	rout$3 with (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with (packetid (packet cell frame) adj (id identifier)) and (detect$3 filter$3 monitor$3) with (payload load content) near5 type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:08
L29	0	rout$3 with (handl$3 arrang $5) and (remov$4 replac$3 delet$3 discard encapsulat$3 exchang$3) with (packetid (packet cell frame) adj (id identifier descriptor vector indicator)) and (detect$3 filter$3 monitor$3) with (payload load content) near5 type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:09
L30	0	(remov$4 replac$3 delet$3 discard encapsulat$3 exchang $3) with (packetid (packet cell frame) adj (id identifier descriptor vector indicator)) and (detect$3 filter$3 monitor $3) with (payload load content) near5 type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:11
L31	142	(remov$4 replac$3 delet$3 discard encapsulat$3 exchang $3) with (packetid (packet cell frame) adj (id identifier descriptor vector indicator)) and (detect$3 filter$3 monitor $3) with type and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2008/03/26 11:12

| L32 | 3 | (remov$4 replac$3 delet$3 discard encapsulat$3 exchang $3) with (packetid (packet cell frame) adj (id identifier descriptor vector indicator)) same (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331") | US-PGPUB; USPAT | OR | ON | 2008/03/26 11:13 |
| L33 | 3 | (remov$4 replac$3 delet$3 discard eliminat$3 strip encapsulat$3 exchang$3) near5 (packetid (packet cell frame) adj (id identifier descriptor vector indicator)) same (detect$3 filter$3 monitor$3) with type and (@ad<"20030331" @rlad<"20030331") | US-PGPUB; USPAT | OR | ON | 2008/03/26 11:14 |

03/26/2008 11:16:32 AM
C:\ Documents and Settings\ TVu1\ My Documents\ EAST\ workspaces\ 10812167d.wsp